

# Setting the Standard in Production Check Printing.

## TROY 6136P MICR **AccurioPress**

Monochrome Digital  
MICR Production Press




KONICA MINOLTA



## Reach new levels of efficiency and security.

Redefine the way you think about MICR printing. The TROY 6136P MICR AccurioPress simply performs, print after print. Exceptional speed and versatility with unmatched durability and reliability delivers high quality MICR prints in high-volume production environments.



## Reduce fraud risks and increase readability with MICR Toner Secure.™

The World's Most Fraud Resistant MICR Toner™ meets all check printing requirements.

Toner and Developer are engineered specifically for the 6136P. Optimal adhesion and consistency produce the most **error free, fraud resistant checks of any production MICR printer.**



### OEM (Genuine/Original)

Engineered exclusively for the 6136 Konica Minolta engine, TROY toner has been extensively tested to ABA/ANSI standards.



### Patented Security Technology

Red dye is released which voids the check if chemical alteration is attempted.



### High Adhesion & Reliability

High quality toner maximizes readability and makes toner scraping nearly impossible.

## High-quality check printing that performs with power. A workhorse built for high-volume environments.



### Superior Operability

15-inch touch panel makes operating easy, allowing for greater visibility and operability. Advanced job management support simplifies output work and reduces labor costs.



### Media & Feed Options

Can be specified to optimize print settings instantaneously, allowing efficient paper setups with each job for up to 256 media profiles.



### Operational Efficiency

Enables your operator to view and edit jobs, create previews and print sample output to confirm results. This creates output operations that are efficient and waste-free.

# Active Check Monitoring with TROY IntegriCheck™

Ensure check integrity and quality control with data matching, data recognition, and full audit trails. TROY IntegriCheck™ has been engineered specifically for the TROY AccurioPress 6136P MICR Printer, creating a seamless integration with no change in the printer's footprint. The built-in camera system actively monitors check printing and displays results on the 15-inch touch panel to easily prevent unnecessary waste or corrupt documents.\*



\* Optional Equipment

## Finishing options necessary to get the job done right.

Extensive variety of finishing capabilities to help you power your business:



Booklets

(including square-fold and full-bleed finishing)



Perfect bound



Folding



Punching



GBC Punching  
and Binding



Stapling



Stacking

<b>CR-101</b>	Creaser unit for SD-513
<b>EF-105</b>	Envelope fuser
<b>FA-503</b>	PFU adjustment kit
<b>FD-503</b>	Multi-fold punch unit
<b>FD-504</b>	Square folding unit for SD-513
<b>FS-532</b>	100-sheet staple finisher
<b>FS-532 PK/SD</b>	100-sheet staple finisher with PK and SD-510-522
<b>Punch G2</b>	GBC advanced multi-punching unit
<b>GP-501</b>	GBC multi-hole punch unit
<b>GP-502</b>	GBC in-line ring binding unit
<b>HD-523</b>	Inner HDD kit
<b>HM-103</b>	Humidification unit for RU-518
<b>HT-506</b>	Dehumidification heating unit for PF-710
<b>LC-501</b>	Cart for LS-506
<b>LS-506</b>	Stacking unit
<b>MK-732</b>	Post-inserter mount kit for FS-532

<b>MK-737</b>	Mount kit for third-party products
<b>OT-510</b>	Open stacker
<b>PB-503</b>	Perfect binder
<b>PP-701</b>	Pre-printed paper kit for PF-709
<b>PF-710</b>	Vacuum paper feed unit
<b>PI-502</b>	Post inserter for FS-532
<b>PK-522</b>	2/3-hole punch for FS-532
<b>RH-101</b>	Removable HDD kit
<b>RU-510</b>	Relay unit for GP-501
<b>RU-518</b>	Relay unit for de-curling
<b>SD-506</b>	Booklet making unit
<b>SD-510</b>	Saddle stitch kit for FS-532
<b>SD-513</b>	Saddle stitch unit
<b>SD-513/F</b>	Saddle stitcher front
<b>TU-503</b>	Trimmer unit for SD-513





## TROY 6136P MICR **AccurioPress** Monochrome Digital MICR Production Press

PART #	PRODUCT
01-06950-001	TROY MICR 6136P AccurioPress
02-81725-001	TROY 6136P MICR AccurioPress Toner
02-81725-005	TROY 6136P MICR AccurioPress Developer

### SPECIFICATIONS

Resolution	Print: 1,200 x 1,200 dpi
Paper weight	Standard: 40–300 gsm Opt.: PF-710, PF-709 (middle tray) – 40–350 gsm
Auto Duplex	40–300 gsm
Paper sizes (max.)	324 x 463 mm (12.76" x 18.23") Opt.: PF-709 – 324 x 463 mm (12.76" x 18.23") PF-710 – 324 x 483 mm (12.76" x 19.02")
Paper sizes (min.)	182 x 139 mm (7.17" x 5.47") Opt.: PF-709 – 95 x 139 mm (3.74" x 5.47") PF-710 – 95 x 133 mm (3.74" x 5.24")
Image loss (max.)	3.0 mm or less for top edge 2.0 mm or less for bottom edge 2.0 mm or less for right/left edges
Warm-up time	420 seconds or less
Paper input capacity	Standard: 3,000 sheets Max.: 18,000 sheets
Main unit dimensions (W x D x H)	39" x 35.8" x 57"
Main unit weight	761 lbs
Power requirements	208VAC to 240VAC, 20A, 60 Hz
8.5" x 11" (max. per minute)	136 ppm
Monthly duty cycle (max.)	3,240,000 pages